

Computer Network Applications

Lecture 5

Fall 2008

Dr. Hui Xiong
Rutgers University

Introduction 1-1

Last Course Review

Application architectures

- Client-server
- Peer-to-peer (P2P)
- Hybrid of client-server and P2P

Introduction 1-2

What transport service does an app need?

Data loss

- some apps (e.g., audio) can tolerate some loss
- other apps (e.g., file transfer, telnet) require 100% reliable data transfer

Timing

- some apps (e.g., Internet telephony, interactive games) require low delay to be "effective"

Bandwidth

- some apps (e.g., multimedia) require minimum amount of bandwidth to be "effective"
- other apps ("elastic apps") make use of whatever bandwidth they get

Introduction 1-3

Internet transport protocols services

TCP service:

- *connection-oriented*: setup required between client and server processes
- *reliable transport* between sending and receiving process
- *flow control*: sender won't overwhelm receiver
- *congestion control*: throttle sender when network overloaded
- *does not provide*: timing, minimum bandwidth guarantees

UDP service:

- unreliable data transfer between sending and receiving process
- does not provide: connection setup, reliability, flow control, congestion control, timing, or bandwidth guarantee

Q: why bother? Why is there a UDP?

Introduction 1-4

Internet apps: application, transport protocols

Application	Application layer protocol	Underlying transport protocol
e-mail	SMTP [RFC 2821]	TCP
remote terminal access	Telnet [RFC 854]	TCP
Web	HTTP [RFC 2616]	TCP
file transfer	FTP [RFC 959]	TCP
streaming multimedia	proprietary (e.g. RealNetworks)	TCP or UDP
Internet telephony	proprietary (e.g., Dialpad)	typically UDP

Introduction 1-5

User-server state: cookies

Many major Web sites use cookies

Four components:


- 1) cookie header line in the HTTP response message
- 2) cookie header line in HTTP request message
- 3) cookie file kept on user's host and managed by user's browser
- 4) back-end database at Web site

Example:

- Susan access Internet always from same PC
- She visits a specific e-commerce site for first time
- When initial HTTP requests arrives at site, site creates a unique ID and creates an entry in backend database for ID

Introduction 1-6

Cookies: keeping "state" (cont.)



Introduction 1-7

Cookies (continued)

What cookies can bring:

- authorization
- shopping carts
- recommendations
- user session state (Web e-mail)

aside

Cookies and privacy:


- cookies permit sites to learn a lot about you
- you may supply name and e-mail to sites
- search engines use redirection & cookies to learn yet more
- advertising companies obtain info across sites

Introduction 1-8

Web caches (proxy server)

Goal: satisfy client request without involving origin server

- user sets browser: Web accesses via cache
- browser sends all HTTP requests to cache
 - object in cache: cache returns object
 - else cache requests object from origin server, then returns object to client



Introduction 1-9

More about Web caching

- Cache acts as both client and server
- Typically cache is installed by ISP (university, company, residential ISP)

Why Web caching?

- Reduce response time for client request.
- Reduce traffic on an institution's access link.
- Internet dense with caches enables "poor" content providers to effectively deliver content (but so does P2P file sharing)

Introduction 1-10


Caching example

Assumptions

- average object size = 100,000 bits
- avg. request rate from institution's browsers to origin servers = 15/sec
- delay from institutional router to any origin server and back to router = 2 sec

Consequences

- utilization on LAN = 15%
- utilization on access link = 100%
- total delay = Internet delay + access delay + LAN delay = 2 sec + minutes + milliseconds



Introduction 1-11


Caching example (cont)

Possible solution

- increase bandwidth of access link to, say, 10 Mbps

Consequences

- utilization on LAN = 15%
- utilization on access link = 15%
- Total delay = Internet delay + access delay + LAN delay = 2 sec + msec + msec
- often a costly upgrade



Introduction 1-12


Caching example (cont)

Install cache

- suppose hit rate is .4

Consequence

- 40% requests will be satisfied almost immediately
- 60% requests satisfied by origin server
- utilization of access link reduced to 60%, resulting in negligible delays (say 10 msec)
- total avg delay = Internet delay + access delay + LAN delay = $.6 * (2.01 \text{ secs} + \text{milliseconds}) < 1.4 \text{ secs}$




Introduction 1-13

Chapter 2: Application layer

- 2.1 Principles of network applications
- 2.2 Web and HTTP
- 2.3 FTP
- 2.4 Electronic Mail
 - SMTP, POP3, IMAP
- 2.5 DNS
- 2.6 P2P file sharing
- 2.7 Socket programming with TCP
- 2.8 Socket programming with UDP
- 2.9 Building a Web server

Introduction 1-14

FTP: the file transfer protocol




- transfer file to/from remote host
- client/server model
 - client: side that initiates transfer (either to/from remote)
 - server: remote host
- ftp: RFC 959
- ftp server: port 21

Introduction 1-15

FTP: separate control, data connections

- FTP client contacts FTP server at port 21, specifying TCP as transport protocol
- Client obtains authorization over control connection
- Client browses remote directory by sending commands over control connection
- When server receives a command for a file transfer, the server opens a TCP data connection to client
- After transferring one file, server closes connection.



- Server opens a second TCP data connection to transfer another file.
- Control connection: "out of band"
- FTP server maintains "state": current directory, earlier authentication

Introduction 1-16

FTP commands, responses

Sample commands:

- sent as ASCII text over control channel
- USER username
- PASS password
- LIST return list of file in current directory
- RETR filename retrieves (gets) file
- STOR filename stores (puts) file onto remote host

Sample return codes

- status code and phrase (as in HTTP)
- 331 Username OK, password required
- 125 data connection already open; transfer starting
- 425 Can't open data connection
- 452 Error writing file

Introduction 1-17

Chapter 2: Application layer

- 2.1 Principles of network applications
- 2.2 Web and HTTP
- 2.3 FTP
- 2.4 Electronic Mail
 - SMTP, POP3, IMAP
- 2.5 DNS
- 2.6 P2P file sharing
- 2.7 Socket programming with TCP
- 2.8 Socket programming with UDP
- 2.9 Building a Web server

Introduction 1-18


Electronic Mail

Three major components:

- user agents
- mail servers
- simple mail transfer protocol: SMTP

User Agent

- a.k.a. "mail reader"
- composing, editing, reading mail messages
- e.g., Eudora, Outlook, elm, Netscape Messenger
- outgoing, incoming messages stored on server




Introduction 1-19

Electronic Mail: mail servers

Mail Servers

- mailbox contains incoming messages for user
- message queue of outgoing (to be sent) mail messages
- SMTP protocol between mail servers to send email messages
 - client: sending mail server
 - "server": receiving mail server



Introduction 1-20


Electronic Mail: SMTP [RFC 2821]

- uses TCP to reliably transfer email message from client to server, port 25
- direct transfer: sending server to receiving server
- three phases of transfer
 - handshaking (greeting)
 - transfer of messages
 - closure
- command/response interaction
 - commands: ASCII text
 - response: status code and phrase
- messages must be in 7-bit ASCII

Introduction 1-21

Scenario: Alice sends message to Bob

- 1) Alice uses UA to compose message and "to" bob@someschool.edu
- 2) Alice's UA sends message to her mail server: message placed in message queue
- 3) Client side of SMTP opens TCP connection with Bob's mail server
- 4) SMTP client sends Alice's message over the TCP connection
- 5) Bob's mail server places the message in Bob's mailbox
- 6) Bob invokes his user agent to read message



Introduction 1-22

Sample SMTP interaction

```
S: 220 hamburger.edu
C: HELO crepes.fr
S: 250 Hello crepes.fr, pleased to meet you
C: MAIL FROM: <alice@crepes.fr>
S: 250 alice@crepes.fr... Sender ok
C: RCPT TO: <bob@hamburger.edu>
S: 250 bob@hamburger.edu ... Recipient ok
C: DATA
S: 354 Enter mail, end with "." on a line by itself
C: Do you like ketchup?
C: How about pickles?
C: .
S: 250 Message accepted for delivery
C: QUIT
S: 221 hamburger.edu closing connection
```

Introduction 1-23

Try SMTP interaction for yourself:

- telnet servername 25
 - see 220 reply from server
 - enter HELO, MAIL FROM, RCPT TO, DATA, QUIT commands
- above lets you send email without using email client (reader)

Introduction 1-24

SMTP: final words


- SMTP uses persistent connections
 - SMTP requires message (header & body) to be in 7-bit ASCII
 - SMTP server uses CRLF, CRLF to determine end of message
- Comparison with HTTP:**
- HTTP: pull
 - SMTP: push
 - both have ASCII command/response interaction, status codes
 - HTTP: each object encapsulated in its own response msg
 - SMTP: multiple objects sent in multipart msg

Introduction 1-25

Mail message format

SMTP: protocol for exchanging email msgs
RFC 822: standard for text message format:


- header lines, e.g.,
 - To:
 - From:
 - Subject:*different from SMTP commands!*
- body
 - the "message", ASCII characters only



Introduction 1-26


Message format: multimedia extensions

- MIME: multimedia mail extension, RFC 2045, 2056
- additional lines in msg header declare MIME content type



Introduction 1-27

Mail access protocols



- SMTP: delivery/storage to receiver's server
- Mail access protocol: retrieval from server
 - POP: Post Office Protocol [RFC 1939]
 - authorization (agent <-->server) and download
 - IMAP: Internet Mail Access Protocol [RFC 1730]
 - more features (more complex)
 - manipulation of stored msgs on server
 - HTTP: Hotmail, Yahoo! Mail, etc.

Introduction 1-28

POP3 protocol

authorization phase

- client commands:
 - user: declare username
 - pass: password
- server responses
 - +OK
 - -ERR

transaction phase, client:

- list: list message numbers
- retr: retrieve message by number
- dele: delete
- quit

```
S: +OK POP3 server ready
C: user bob
S: +OK
C: pass hungry
S: +OK user successfully logged on

C: list
S: 1 498
S: 2 912
S: .
C: retr 1
S: <message 1 contents>
S: .
C: dele 1
C: retr 2
S: <message 1 contents>
S: .
C: dele 2
C: quit
S: +OK POP3 server signing off
```

Introduction 1-29

POP3 (more) and IMAP

More about POP3

- Previous example uses "download and delete" mode.
- Bob cannot re-read e-mail if he changes client
- "Download-and-keep": copies of messages on different clients
- POP3 is stateless across sessions

IMAP

- Keep all messages in one place: the server
- Allows user to organize messages in folders
- IMAP keeps user state across sessions:
 - names of folders and mappings between message IDs and folder name

Introduction 1-30

Chapter 2: Application layer

- ❑ 2.1 Principles of network applications
- ❑ 2.2 Web and HTTP
- ❑ 2.3 FTP
- ❑ 2.4 Electronic Mail
 - SMTP, POP3, IMAP
- ❑ 2.5 DNS
- ❑ 2.6 P2P file sharing
- ❑ 2.7 Socket programming with TCP
- ❑ 2.8 Socket programming with UDP
- ❑ 2.9 Building a Web server

Introduction 1-31

DNS: Domain Name System

- People: many identifiers:**
 - SSN, name, passport #
- Internet hosts, routers:**
 - IP address (32 bit) - used for addressing datagrams
 - "name", e.g., ww.yahoo.com - used by humans
- Q: map between IP addresses and name ?**
- Domain Name System:**
 - ❑ *distributed database* implemented in hierarchy of many *name servers*
 - ❑ *application-layer protocol* host, routers, name servers to communicate to *resolve* names (address/name translation)
 - note: core Internet function, implemented as application-layer protocol
 - complexity at network's "edge"

Introduction 1-32

DNS

DNS services

- ❑ Hostname to IP address translation
- ❑ Host aliasing
 - Canonical and alias names
- ❑ Mail server aliasing
- ❑ Load distribution
 - Replicated Web servers: set of IP addresses for one canonical name


Why not centralize DNS?

- ❑ single point of failure
- ❑ traffic volume
- ❑ distant centralized database
- ❑ maintenance

doesn't scale!

Introduction 1-33

Distributed, Hierarchical Database



Client wants IP for www.amazon.com; 1st approx:

- ❑ Client queries a root server to find com DNS server
- ❑ Client queries com DNS server to get amazon.com DNS server
- ❑ Client queries amazon.com DNS server to get IP address for www.amazon.com

Introduction 1-34